


1.-6. (Cancelled)

- (a) a compound of the formula Ia



T is CH or N;

R<sup>a'</sup> and R<sup>b</sup> are halogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

the phenyl group is in the 1- or 5-position;

$x$  is 0, 1 or 2; and

$y$  is 0 or 1;

and

- (b) a glyphosate derivative II  
in a synergistically active amount.

8. (New) The method as claimed in claim 7, wherein the weight ratio of the compound Ia to the glyphosate derivative II is from 5:1 to 0.01:1.


9. (New) The method as claimed in claim 8, wherein the mixture comprises:

- (a) pyraclostrobin and

(b) a glyphosate derivative II.

10. (New) The method as claimed in claim 9, wherein component (b) is glyphosate.
11. (New) A method as claimed in claim 7, wherein a fungicidal azole selected from the group consisting of: fluquinconazole, metconazole, prochloraz, propiconazole, prothioconazole, tebuconazole, epoxiconazole or myclobutanil is employed as component a) in addition to the active ingredient of the formula Ia.
12. (New) A mixture comprising

(a) a compound of the formula Ia



in which

T is CH or N;

R<sup>a'</sup> and R<sup>b</sup> are halogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

the phenyl group is in the 1- or 5-position;

x is 0, 1 or 2; and

y is 0 or 1;

and

(b) a glyphosate derivative II

wherein the weight ratio of the compound Ia to the glyphosate derivative II is from 5:1 to

0.01:1.

13. (New) A mixture as claimed in claim 12, comprising
  - (a) pyraclostrobin and
  - (b) a glyphosate derivative II.
14. (New) A mixture as claimed in claim 13, wherein component a) comprises an azole selected from the group consisting of: metconazole, myclobutanil, epoxiconazole, propiconazole, prothioconazole and tebuconazole in addition to the active ingredient pyraclostrobin.
15. (New) A mixture as claimed in claim 13, wherein component (b) is glyphosate.
16. (New) The method as claimed in claim 10, wherein the weight ratio of the compound pyraclostrobin to glyphosate is from 1:1 to 0.1:1.
17. (New) A mixture as claimed in claim 15, wherein the weight ratio of the compound pyraclostrobin to glyphosate is from 1:1 to 0.1:1.